



# **Comparator** - Economic /Hydraulic



✓ Technical specifications of the range CEH

## ✓ Applications

The range of compressors is designed to test, adjust and calibrate measuring instruments mechanical or electronic pressure by comparison (pressure gauges, pressure transmitters or sensors or switches).

Datasheet

**CEH-1250B** 

These pressure generators are equipped with a tank connected by a level visible to a variable volume valve. The capstan generates a pressure pushing the fluid through the variable volume compared to the connectors with instruments.


These compressors are designed for industry or laboratory. They are easy and robust.

- Control/tests :	Our bench pressure are controled under the following conditions of use : Temperature 20°C - Pressure atmos. 1013.25 hPa - Humidity 50% - acceleration 9.80665 m/s²)			
- Fluid :	Mineral oil or synthetic oil depending on the model colorless compatible with medical or food uses			
- Tank :	80 cm3			
- Volume de fluid expelled :	10 cm <sup>3</sup>			
- Check/adjust the seat :	nothing			
- Connection for the instrument to be tested :	swivel G1/2 standard – other optional fittings			
- Carter :	steel + high-resistance paint			
- Capstan :	Removable for transport - moving axis			
- Operating temperature:	18 to 28°C – 64 to 82°F			
✓ Technical product specifications				
- Model :	CEH-1250B			
- Measuring range :	0 to 1250 bar / 0 to 20000 PSI / 0 to 125000 kPa			
- Sensitivity :	ty : 10% Pmaxi = 0.1 bar / 50% Pmaxi = 0.2 bar / 100% Pmaxi = 0.5 bar			
- Reference :	pressure gauge is delivered an option			

- Sensitivity :	10% Pmaxi = 0.1 bar / 50% Pmaxi = 0.2 bar / 100% Pmaxi = 0.5 b		
- Reference :	pressure gauge is delivered an option		
- Weight comparator :	7.5 kg		
- Fluid :	Oil		
- Number of piston :	1		
- Material Piston/Cylinder :	P = stainless steel / C = treated steel		
- Piping :	stainless steel		

- Unit supplied with : Operating instructions / unit data sheet / G1/2 outlet connector / tools Note: All our documents can be delivered in English, French or German.

## ✓ Standard device dimensions



## $\checkmark$ Options of the generator

## No option for this model

#### ✓ Accessories



Ref OP0057 Accessories suitcase

Ref OP0025 drain kit for oil

Ref OP0037 Suitcase with 17 adaptors type M + G + NPT + BSP-TR / Pressure max 1200 bar

Ref OP0062 Cleaning bench

Ref OP0171 Suitcase adaptors type G / Ref OP0172 Suitcase adaptors type NPT / Ref OP0173 Suitcase adaptors type BSP-TR / Ref OP0174 Suitcase adaptors type M

## ✓ Transport and packaging

### - Packaging : pack is provide for the shipping

Designation/Reference	Dimension / carton or shipping crate	Weight empty / total weight (packaging + device)	
packaging 48 x 48 x 34 cm		Total weight ±20 kg	



- Note: Shipping is extra. Size may vary if accessories are purchased with the unit.

## ✓ Other models available in the range CEH

(Datasheet is available on request or on our website : www.aremeca-instrumentation.com)

		Measuring range		
Models	Accuracy	Bar or kg/cm <sup>2</sup>	PSI	kPa
CEH-800B	10 <sup>-3</sup>	0 to 800	0 to 11600	0 to 80000

You'll find other devices and accessories on our website: www.aremeca-instrumentation.com